



ACCURATE, LONG-LASTING, TIGHT-GRIPPING

UNIQUE DESIGN -- Bushing grips the drill around three-quarters of its circumference and fits the hole in the holder in the same manner. Result? More accurate fitting and line-up of drill and bushing.

POSITIVE OPERATION -- Entire length of bushing firmly clamps drill shank. Less chance of drill being pushed back.

HEAT-TREATED FOR LONG LIFE -- Made of quality carburizing steel and heat-treated.

- 1-1/4" OD TAP AND DRILL BUSHINGS/PRICE ON APPLICATION
- 1-1/2" OD TAP AND DRILL BUSHINGS/PRICE ON APPLICATION

DRILL HOLDER BUSHING SETS AND TAP HOLDER BUSHING SETS NOW AVAILABLE

- NOW YOU CAN ORDER COMPLETE SETS OF DRILL HOLDER BUSHINGS AND TAP HOLDER BUSHINGS, PACKAGED IN A CONVENIENT STORAGE CASE. THE PRICE OF A SET IS 10% LESS THAN WHEN EACH BUSHING IS ORDERED SEPARATELY.
- DRILL BUSHING SETS INCLUDE 1 EACH OF ALL BUSHINGS LISTED BELOW BY COLUMN.

REPLACEMENT RETAINING SPRINGS

Bushing Size	Cat. No.
#00	MB00-RS
#0	MB0-RS
#2	MB2-RS

BUSHING DIMENSIONS

#00	1/2" O.D. x 3/4" Long
#0	5/8" O.D. x 7/8" Long
#2	1" O.D. x 1-1/4" Long

#00 DRILL BUSHINGS 1/2" OD X 3/4" LONG							
FRACTIONAL	LETTER	NUMBER			METRIC		
MB00-1/64	MB00-A	MB00-#1	MB00-26	MB00-51	MB00-1.00MM	MB00-4.30MM	MB00-7.60MM
MB00-1/32	MB00-B	MB00-2	MB00-27	MB00-52	MB00-1.10MM	MB00-4.40MM	MB00-7.70MM
MB00-3/64	MB00-C	MB00-3	MB00-28	MB00-53	MB00-1.20MM	MB00-4.50MM	MB00-7.80MM
MB00-1/16	MB00-D	MB00-4	MB00-29	MB00-54	MB00-1.30MM	MB00-4.60MM	MB00-7.90MM
MB00-5/64	MB00-E	MB00-5	MB00-30	MB00-55	MB00-1.40MM	MB00-4.70MM	MB00-8.00MM
MB00-3/32	MB00-F	MB00-6	MB00-31	MB00-56	MB00-1.50MM	MB00-4.80MM	MB00-8.10MM
MB00-7/64	MB00-G	MB00-7	MB00-32	MB00-57	MB00-1.60MM	MB00-4.90MM	MB00-8.20MM
MB00-1/8	MB00-H	MB00-8	MB00-33	MB00-58	MB00-1.70MM	MB00-5.00MM	MB00-8.30MM
MB00-9/64	MB00-I	MB00-9	MB00-34	MB00-59	MB00-1.80MM	MB00-5.10MM	MB00-8.40MM
MB00-5/32	MB00-J	MB00-10	MB00-35	MB00-60	MB00-1.90MM	MB00-5.20MM	MB00-8.50MM
MB00-11/64	MB00-K	MB00-11	MB00-36	MB00-61	MB00-2.00MM	MB00-5.30MM	MB00-8.60MM
MB00-3/16	MB00-L	MB00-12	MB00-37	MB00-62	MB00-2.10MM	MB00-5.40MM	MB00-8.70MM
MB00-13/64	MB00-M	MB00-13	MB00-38	MB00-63	MB00-2.20MM	MB00-5.50MM	MB00-8.80MM*
MB00-7/32	MB00-N	MB00-14	MB00-39	MB00-64	MB00-2.30MM	MB00-5.60MM	MB00-8.90MM*
MB00-15/64	MB00-O	MB00-15	MB00-40	MB00-65	MB00-2.40MM	MB00-5.70MM	MB00-9.00MM*
MB00-1/4	MB00-P	MB00-16	MB00-41	MB00-66	MB00-2.50MM	MB00-5.80MM	MB00-9.10MM*
MB00-17/64	MB00-Q	MB00-17	MB00-42	MB00-67	MB00-2.60MM	MB00-5.90MM	MB00-9.20MM*
MB00-9/32	MB00-R	MB00-18	MB00-43	MB00-68	MB00-2.70MM	MB00-6.00MM	MB00-9.30MM*
MB00-19/64	MB00-S*	MB00-19	MB00-44	MB00-69	MB00-2.80MM	MB00-6.10MM	MB00-9.40MM*
MB00-5/16	MB00-T*	MB00-20	MB00-45	MB00-70	MB00-2.90MM	MB00-6.20MM	MB00-9.50MM*
MB00-21/64	MB00-U*	MB00-21	MB00-46	MB00-71	MB00-3.00MM	MB00-6.30MM	MB00-9.60MM*
MB00-11/32	MB00-V*	MB00-22	MB00-47	MB00-72	MB00-3.10MM	MB00-6.40MM	MB00-9.70MM*
MB00-23/64*	MB00-W*	MB00-23	MB00-48	MB00-73	MB00-3.20MM	MB00-6.50MM	MB00-9.80MM*
MB00-3/8*	MB00-X*	MB00-24	MB00-49	MB00-74	MB00-3.30MM	MB00-6.60MM	MB00-9.90MM*
MB00-25/64*	MB00-Y*	MB00-25	MB00-50	MB00-75	MB00-3.40MM	MB00-6.70MM	MB00-10.00MM*
MB00-13/32*	MB00-Z*			MB00-76	MB00-3.50MM	MB00-6.80MM	MB00-10.20MM*
MB00-27/64*				MB00-77	MB00-3.60MM	MB00-6.90MM	MB00-10.50MM*
MB00-7/16*				MB00-78	MB00-3.70MM	MB00-7.00MM	MB00-10.80MM*
MB00-29/64*				MB00-79	MB00-3.80MM	MB00-7.10MM	MB00-11.00MM*
MB00-15/32*				MB00-80	MB00-3.90MM	MB00-7.20MM	MB00-11.20MM*
MB00-31/64*					MB00-4.00MM	MB00-7.30MM	MB00-11.50MM*
					MB00-4.10MM	MB00-7.40MM	MB00-11.80MM*
					MB00-4.20MM	MB00-7.50MM	MB00-12.00MM*
MB00-1SET	MB00-2SET	MB00-3SET	MB00-4SET	MB00-5SET			

*Thin wall bushings have only 1 split instead of 2 and have no retainer springs.